

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re:

U.S. Application of:

Terese FINITZO and Kenneth D. POOL, Jr.
COMPUTER-AUTOMATED IMPLEMENTATION
OF USER-DEFINABLE DECISION RULES FOR
MEDICAL DIAGNOSTIC OR SCREENING
INTERPRETATIONS

For:

U.S. Serial No.:

To Be Assigned

Filed:

Concurrently

Prior Application:

U.S. Serial No.: 09/044,487

Confirmation No.: 8533

Filed: March 19, 1998

Group Art Unit: 2166

Examiner: Samuel G. Rimell

Allowed: January 22, 2002

10087107.030102


BOX PATENT APPLICATION

Assistant Director

for Patents

Washington, D.C. 20231

Dear Sir:

EXPRESS MAIL MAILING LABEL NO EL794567542US DATE OF DEPOSIT- MARCH 1, 2002
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and is addressed to BOX PATENT APPLICATION, Assistant Director for Patents, Washington, DC 20231
Derrick T. Gordon Name of Person Mailing Paper or Fee
 Signature
March 1, 2002 Date of Signature

PRELIMINARY AMENDMENT

The following is a preliminary amendment which is being submitted concurrently with the filing of a divisional application. Prior to examination, please amend the specification as follows:

IN THE CLAIMS:

Please cancel claim 1 without prejudice.

Please replace the previous version of the claims with the following clean version, wherein claim 1 has been cancelled, and claims 2-49 have been added.

10087107.030102

2. (New) A method of performing analysis upon data, said method comprising steps of:

receiving a set of data elements;

providing a hierarchical decision structure comprising one or more hierarchical levels, wherein each of said hierarchical levels corresponds to a particular result, and wherein each of said hierarchical levels includes one or more rules that can be compared to said set of data elements;

selecting one or more of said rules within each of said hierarchical levels;

selecting one or more numerical quantities, wherein each of said numerical quantities corresponds to one of said hierarchical levels, and wherein each of said numerical quantities corresponds to a number of the selected rules that must be met to indicate a result for a corresponding one of said hierarchical levels; and

for each of said hierarchical levels, performing the following steps:

i) comparing said set of data elements to each of said selected rules within the hierarchical level to determine a number of selected rules that are met within the hierarchical level;

ii) comparing said number of selected rules that are met to the numerical quantity corresponding to the hierarchical level; and

iii) indicating a result corresponding to the current hierarchical level when the number of selected rules that are met is greater than or equal to said numerical quantity corresponding to the hierarchical level.

3. (New) A method in accordance with claim 2, wherein said set of data elements include information derived from medical data.

4. (New) A method in accordance with claim 2, wherein a result corresponding to one of said hierarchical levels is a technical fail result.

5. (New) A method in accordance with claim 2, wherein a result corresponding to one of said hierarchical levels is a pass result.

6. (New) A method in accordance with claim 2, wherein a result corresponding to one of said hierarchical levels is a refer result.

7. (New) A method in accordance with claim 2, wherein the steps of selecting one or more of said rules and selecting one or more numerical quantities are performed by using a graphical user interface on a computer display device.

8. (New) A method in accordance with claim 2, further including a step of selecting one or more numerical values, wherein each of said numerical values corresponds to one of said plurality of selected rules, and wherein each of said numerical values indicates a value at which said corresponding one of said selected rules is met.

9. (New) A method in accordance with claim 8, wherein the step of selecting one or more numerical values is performed using a graphical user interface on a computer display device.

10. (New) A method in accordance with claim 2, wherein the step of indicating a result is performed by generating a written report.

11. (New) A computer readable medium having instructions executable by a computer recorded thereon, said instructions comprising:

a first set of instructions for defining a hierarchical decision structure comprising a plurality of hierarchical levels, each of said hierarchical levels corresponding to a particular result, and each of said hierarchical levels including one or more rules that can be applied in an analysis of said set of data elements;

a second set of instructions for allowing a user to select one or more of said rules within each of said plurality of hierarchical levels;

a third set of instructions for allowing a user to select one or more numerical quantities, each of said numerical quantities corresponding to a number of rules that must be met to indicate a result for a corresponding one of said hierarchical levels;

a fourth set of instructions for receiving data; and

a fifth set of instructions for performing, for each of said hierarchical levels, the

following steps:

i) comparing said received data to each of said rules within the hierarchical level to determine a number of rules that are met within the hierarchical level;

ii) comparing said number of rules that are met to the numerical quantity corresponding to the hierarchical level; and

iii) indicating a result corresponding to the hierarchical level when the number of rules that are met is greater than or equal to said numerical quantity corresponding to the hierarchical level.

12. (New) A computer readable medium in accordance with claim 11, wherein a result corresponding to one of said hierarchical levels is a technical fail result.

13. (New) A computer readable medium in accordance with claim 11, wherein a result corresponding to one of said hierarchical levels is a pass result.

14. (New) A computer readable medium in accordance with claim 11, wherein a result corresponding to one of said hierarchical levels is a refer result.

15. (New) A computer readable medium in accordance with claim 11, further including a set of instructions for providing a graphical user interface on a computer display device.

16. (New) A computer readable medium in accordance with claim 11, further including a set of instructions for selecting one or more numerical values, wherein each of said numerical values indicates a value at which a corresponding one of said selected rules is met.

17. (New) A computer readable medium in accordance with claim 11, further including instructions for generating a written report describing said result.

18. (New) A method of processing data comprising the steps of:
performing a first procedure to customize decision making criteria, said first
procedure including the steps of:

defining one or more features characteristic of a predetermined type of
data;

defining a plurality of decision levels;

defining, for each decision level, at least one rule based on at least one of
said features; and

defining, for each rule, a criteria; and

performing a second procedure to process data, said second procedure including
the steps of:

receiving data of said predetermined type to be processed, said data having
values corresponding to said features;

comparing said values of said data with said rules according to said criteria;

and

outputting a conclusion based on said comparison.

19. (New) A method in accordance with claim 18, wherein said first procedure
further comprises a step of designating, for each decision level, a quantity of rules
effective to influence a result for that level.

20. (New) A method in accordance with claim 18, wherein said first procedure
further comprises a step of designating, for each decision level, whether that level
represents a condition selected from the group consisting of a technical fail condition, a
necessary condition, a sufficient condition, a contributing condition and a refer condition,
and

wherein said step of comparing said values with said rules according to said
criteria includes performing a comparison of said values with said rules according to said
criteria for each decision level, and

wherein, in said step of outputting a conclusion, the conclusion is output based on

a combination of at least a comparison result for said necessary condition and a comparison result for said sufficient condition.

21. (New) A method in accordance with claim 20, wherein, in said step of outputting a conclusion, the conclusion is output based on a combination of at least a comparison result for said necessary condition, a comparison result for said sufficient condition, and a comparison result for said contributing condition.

22. (New) A method in accordance with claim 20, wherein said first procedure further comprises a step of designating, for each decision level, a quantity of rules effective to influence a result for that level.

23. (New) A method in accordance with claim 18, wherein:
said step of comparing said values with said rules according to said criteria includes performing a comparison of said values with said rules according to said criteria for each decision level, and

in said step of outputting a conclusion, the conclusion is output based on a combination of comparison results for at least two levels.

24. (New) A method in accordance with claim 18, wherein said step of comparing said values with said rules according to said criteria includes performing a comparison of said values with said rules according to said criteria for each decision level.

25. (New) A software program including computer executable instructions stored on a computer readable medium, said software program comprising:

a first set of computer code that enables a user to customize decision making criteria, said first set of computer code including:

computer code that enables a user to define features characteristic of a predetermined type of data;

computer code that enables a user to define a plurality of decision levels;

computer code that enables a user to define for each decision level at least

one rule based on at least one of said features; and

computer code that enables a user to define for each rule a criteria; and

a second set of computer code that enables the computer to process data, said second set of computer code including:

computer code that receives data of said predetermined type to be processed, said data having values corresponding to said features;

computer code that compares said values with said rules according to said criteria; and

computer code that outputs a conclusion based on said comparison.

26. (New) A software program in accordance with claim 25, wherein said first set of computer code further comprises computer code that enables a user to designate, for each decision level, a quantity of rules effective to influence a result for that level.

27. (New) A software program in accordance with claim 25, wherein said first set of computer code further comprises computer code that enables a user to designate, for each decision level, whether that level represents a condition selected from the group consisting of a technical fail condition, a necessary condition, a sufficient condition, a contributing condition and a refer condition,

wherein said computer code that compares said values with said rules according to said criteria performs a comparison of said values with said rules according to said criteria for each decision level, and

wherein said computer code that outputs a conclusion does so based on a combination of at least a comparison result for said necessary condition and a comparison result for said sufficient condition.

28. (New) A software program in accordance with claim 27, wherein said computer code that outputs a conclusion does so based on a combination of at least a comparison result for said necessary condition, a comparison result for said sufficient condition, and a comparison result for said contributing condition.

29. (New) A software program in accordance with claim 27, wherein said first set of computer code further comprises computer code that enables a user to designate, for each decision level, a quantity of rules effective to influence a result for that level.

30. (New) A software program in accordance with claim 25, wherein:
said computer code that compares said values with said rules according to said criteria performs a comparison of said values with said rules according to said criteria for each decision level, and

said computer code that outputs a conclusion does so based on a combination of comparison results for at least two levels.

31. (New) A software program in accordance with claim 25, wherein said computer code that compares said values with said rules according to said criteria performs a comparison of said values with said rules according to said criteria for each decision level.

32. (New) A method of analyzing data comprising steps of:
allowing a user to customize decision-making criteria including steps of allowing the user to:

define one or more rules for use in evaluating data;

select any portion of said rules for defining a pass condition for an analysis of said data and assign a value to at least one of said rules for defining said pass condition; and

select any portion of said rules for defining a fail condition for an analysis of said data and assign a value to at least one of said rules for defining said fail condition; and

processing said data, said processing including:

comparing said data with the selected rules and any assigned values;

and

providing an output yielding a pass or fail condition of the analysis.

33. (New) A method in accordance with claim 32, further comprising a step of requiring a minimum number of rules to be selected by the user for use in the analysis.

34. (New) A method in accordance with claim 32, wherein the step of customizing decision-making criteria defines a level, and wherein said process for customizing decision-making criteria further includes steps of:

presenting each said level for viewing by a user;

allowing the user to select at least one of said rules to be active in said analysis;

and

allowing the user to enter a numerical value in association with at least one of said selected rules.

35. (New) Software stored on a computer readable medium, said software comprising:

a first set of instructions that enable a user to customize decision making criteria, said first set of instructions including instructions that enable a user to:

define one or more rules for use in evaluating data;

select any portion of said rules for defining a pass condition for an analysis of said data and assign a value to at least one of said rules for defining said pass condition; and

select any portion of said rules for defining a fail condition for an analysis of said data and assign a value to at least one of said rules for defining said fail condition; and

a second set of instructions that processes said data, said second set of instructions including instructions that compare said data with the selected rules and any assigned values, and provide an output yielding a pass or fail condition of the analysis.

36. (New) Software in accordance with claim 35, further including instructions for iteratively processing said sets of instructions.

37. (New) Software in accordance with claim 35, further including instructions for requiring a minimum number of rules to be selected by the user for use in the analysis.

38. (New) Software in accordance with claim 35, wherein the first set of instructions defines a level, and wherein said first set of instructions further includes:
instructions that present each said level for viewing by a user;
instructions that allow the user to select at least one of said rules to be active in said analysis; and
instructions that allow the user to enter a numerical value in association with at least one of said selected rules.

39. (New) Software in accordance with claim 35, further comprising instructions for printing out a report providing a result of said analysis.

40. (New) A method of analyzing data comprising steps of:
enabling a user to customize decision making criteria by performing steps including:
defining features characteristic of a predetermined type of data;
defining one or more groups of settings, each of said groups of settings including:
a plurality of decision levels;
for each decision level, at least one rule based on at least one of said features; and
for each rule, a criteria; and
storing said groups of settings; and
processing data by performing steps including:
enabling a user to select a stored group of settings of said stored groups of settings;
receiving data of said predetermined type to be processed, said data having values corresponding to said features;
based on said selected group of settings, comparing said values with said rules according to said criteria; and
outputting a conclusion based on said comparison.

41. (New) A method in accordance with claim 40, wherein said step of enabling a user to customize decision making criteria further comprises a step of designating, for each decision level of each of said groups of settings, a quantity of rules effective to influence a result for that level.

42. (New) A method in accordance with claim 40, wherein said step of enabling a user to customize decision making criteria further comprises a step of designating, for each decision level, whether that level represents a condition selected from the group consisting of a technical fail condition, a necessary condition, a sufficient condition, a contributing condition and a refer condition,

wherein said step of comparing compares said values with said rules according to said criteria includes performing a comparison of said values with said rules according to said criteria for each decision level, and

wherein, in said step of outputting a conclusion, the conclusion is output based on a combination of at least a comparison result for said necessary condition and a comparison result for said sufficient condition.

43. (New) A method in accordance with claim 40, wherein said step of comparing said values with said rules according to said criteria includes performing a comparison of said values with said rules according to said criteria for each decision level, and

wherein, in said step of outputting a conclusion, the conclusion is output based on a combination of comparison results for at least two levels.

44. (New) A method in accordance with claim 43, wherein said step of enabling a user to customize decision making criteria further comprises a step of designating, for each decision level, a quantity of rules effective to influence a result for that level.

45. (New) A software program including computer executable instructions stored on a computer readable medium, said program comprising:

a first set of computer code that enables a user to customize decision making criteria, said first set of computer code including:

- computer code that enables a user to define features characteristic of a predetermined type of data;

- computer code that enables a user to define one or more groups of settings, each of said groups of settings including:

 - a plurality of decision levels;

 - for each decision level at least one rule based on at least one of said features; and

 - for each rule a criteria; and

- computer code that enables a user to store said groups of settings; and

a second set of computer code that enables a computer to process data, said second set of computer code including:

- computer code that enables a user to select a stored group of settings of said stored groups of settings;

- computer code that receives data of said predetermined type to be processed, said data having values corresponding to said features;

- computer code that, based on said selected group of settings, compares said values with said rules according to said criteria; and

- computer code that outputs a conclusion based on said comparison.

46. (New) A software program in accordance with claim 45, wherein said first set of computer code further comprises, for each of said groups of settings, computer code that enables a user to designate for each decision level a quantity of rules effective to influence a result for that level.

47. (New) A software program in accordance with claim 45, wherein said first set of computer code further comprises computer code that enables a user to designate, for each decision level, whether that level represents a condition selected from the group consisting of a technical fail condition, a necessary condition, a sufficient condition, a contributing condition and a refer condition,

wherein said computer code that compares said values with said rules according to said criteria performs a comparison of said values with said rules according to said criteria for each decision level, and

wherein said computer code that outputs the conclusion does so based on a combination of at least a comparison result for said necessary condition and a comparison result for said sufficient condition.

48. (New) A software program in accordance with claim 45,

wherein said computer code that compares said values with said rules according to said criteria performs a comparison of said values with said rules according to said criteria for each decision level, and

wherein said computer code that outputs the conclusion does so based on a combination of comparison results for at least two levels.

49. (New) A software program in accordance with claim 48, wherein said first set of computer code further comprises computer code that enables a user to designate for each decision level, a quantity of rules effective to influence a result for that level.


REMARKS

The present preliminary amendment is being filed concurrently with the filing of a divisional application.

The filing fee for the divisional application was calculated based on the status of the claims after entry of this amendment. Accordingly, no additional fee based on the number or type of claims is incurred by this amendment.

Any fee required by this document other than the issue fee, and not submitted herewith should be charged to Sidley Austin Brown & Wood LLP's Deposit Account No. 18-1260. Any refund should be credited to the same account.

Respectfully submitted,

By: 
Brian E. Harris
Registration No. 48,383
Agent for Applicants

BEH:kk:mhg
SIDLEY AUSTIN BROWN & WOOD LLP
717 N. Harwood, Suite 3400
Dallas, Texas 75201
Direct: (214) 981-3461
Main: (214) 981-3300
Facsimile: (214) 981-3400
March 1, 2002

DA1 208098v6